

DCS Ka-50 Black Shark – Real mode

Key Command List

| Cheat | |
|------------------------------------|---|
| Home - LWin | Auto execute full start procedure |
| End - LWin | Auto execute full stop procedure |
| General | |
| Esc | End mission |
| Pause | Pause |
| Z - LCtrl | Time accelerate |
| Z - LAlt | Time decelerate |
| Z - LShift | Time normal |
| ' | Score window |
| ` | Multiplayer chat - mode All |
| ~ - RCtrl | Multiplayer chat - mode Allies |
| Y - LCtrl | Info bar toggle |
| Tab - RCtrl - RShift | Get New Plane - respawn |
| C - LAlt | Clickable mouse cockpit mode On/Off |
| SysRQ | Screenshot |
| Pause - RCtrl | Frame rate counter - Service info |
| Y - LAlt | Info bar coordinate units toggle |
| P - RShift | Show Pilot Body |
| Enter - RCtrl | Show controls indicator |
| Ins ABRIS AMMS | |
| 0 - RShift | ABRIS Power |
| 1 | ABRIS Button 1 |
| 2 | ABRIS Button 2 |
| 3 | ABRIS Button 3 |
| 4 | ABRIS Button 4 |
| 5 | ABRIS Button 5 |
| 6 | ABRIS Axis Push |
| 7 | ABRIS Axis Decrease |
| 8 | ABRIS Axis Increase |
| 9 | ABRIS Brightness Decrease |
| 0 | ABRIS Brightness Increase |
| Ins ADF | |
| = - LCtrl | ADF Channel next |
| -- LCtrl | ADF Channel previous |
| [- LCtrl - LAlt | ADF Mode change |
|] - LCtrl - LAlt | ADF Receiver mode change |
| = - LCtrl - LAlt | ADF Volume up |
| -- LCtrl - LAlt | ADF Volume down |
| T - LCtrl - LAlt | ADF Self test |
| Ins Autopilot | |
| B - LShift | Autopilot Bank hold |
| P - LShift | Autopilot Pitch hold |
| H - LShift | Autopilot Heading hold |
| A - LShift | Autopilot Altitude hold |
| A - LCtrl | Autopilot Director control |
| X - LCtrl | Autopilot BARO/RALT altitude hold mode |
| X - LAlt | Autopilot Desired heading - Desired track |
| Ins Auxiliary Control Panel | |
| N - LShift - LCtrl - LAlt | Power plant, hydraulics, EKRAN self-test systems switch cover |
| N - LShift - LCtrl | Power plant, hydraulics, EKRAN self-test systems switch |
| N - LCtrl - LAlt | LWS L-140 self-test button |
| N - LCtrl | LWS L-140 power switch |
| L - RAlt - RShift | Illumination control panel switch |
| C - LShift - LAlt | CMD UV-26 power switch cover |
| C - LShift - LCtrl | CMD UV-26 power switch |

| | |
|---|---|
| C - LShift - LCtrl - LAlt | CMD UV-26 BIT switch cover |
| C - LCtrl - LAlt | CMD UV-26 BIT switch |
| I - RCtrl - RAlt | INU power switch |
| I - RShift - RAlt | INU heater switch |
| B - LAlt | Rocket and gun pods ballistics data settings selector Right |
| B - LCtrl | Rocket and gun pods ballistics data settings selector Left |
| V - RCtrl - RAlt | ALMAZ Voice alert system test button |
| E - RShift - RCtrl | Eject system circuit test button |
| B - LShift - LAlt | Eject system circuit check selector right |
| B - LShift - LCtrl | Eject system circuit check selector left |
| G - RShift - RCtrl | EGT right threshold governor button |
| G - RShift - RAlt | EGT left threshold governor button |
| V - RShift - RCtrl - RAlt | Engine vibration monitor system button |
| K - LShift - LCtrl | Lighting night vision cockpit brightness knob Down |
| K - LCtrl - LAlt | Lighting night vision cockpit brightness knob Up |
| L - LShift - LCtrl | Lighting cockpit panel brightness knob Down |
| L - LCtrl - LAlt | Lighting cockpit panel brightness knob Up |
| J - LShift - LCtrl | Lighting HSI and ADI brightness knob Down |
| J - LCtrl - LAlt | Lighting HSI and ADI brightness knob Up |
| U - LShift - LCtrl - RAlt | Lighting auxiliary panel brightness knob Down |
| U - LShift - LCtrl - LAlt | Lighting auxiliary panel brightness knob Up |
| Ins Collective Stick | |
| Enter | Lock target |
| = | Shkval Narrow View 23x |
| - | Shkval Wide View 7x |
|] | TV Target frame Increase size |
| [| TV Target frame Decrease size |
| R | Engage/Disengage Route Mode |
| D | Engage Descent Mode |
| , - RCtrl | Spot light left |
| / - RCtrl | Spot light right |
| ; - RCtrl | Spot light up |
| . - RCtrl | Spot light down |
| Num+ | Collective up |
| Num- | Collective down |
| I | Weapon selection inward stations |
| Y | Weapon selection outward stations |
| U | Weapon selection all stations |
| U - LCtrl | Weapon selection A-A mode |
| Num+ - RAlt | Readjust Free Turbine RPM to Nominal |
| Num- - RAlt | Readjust Free Turbine RPM to Low |
| F | Collective brake - Assign altitude lever |
| Ins Countermeasures dispensers UV-26 | |
| Insert | UV-26 Start dispensing |
| Delete | UV-26 Stop dispensing |
| Insert - RShift | UV-26 Number of flare sequences |
| Insert - RAlt | UV-26 Delay between sequences |
| Insert - RCtrl | UV-26 Number of flares in sequence |
| Delete - RCtrl | UV-26 Reset current program |
|] - RAlt | UV-26 Change dispensing board Left-Both-Right |
|] - RCtrl | UV-26 Amount flares counter / Programming |
| Ins Cyclic Stick | |
| O | Uncage SHKVAL, designate target |
| ; | KU-31 Shkval slew up |
| . | KU-31 Shkval slew down |
| , | KU-31 Shkval slew left |
| / | KU-31 Shkval slew right |
| I - RCtrl | KU-31 Shkval center |
| Space | Gun fire |
| Space - RAlt | Release weapons |
| C | Gun Select |
| Up | Cyclic nose down |
| Down | Cyclic nose up |
| Left | Cyclic bank left |
| Right | Cyclic bank right |
| T | Trimmer |

| | |
|--|---|
| T - LCtrl | Trimmer reset |
| T - LAlt | Hover On/Off |
| A - LAlt | Autopilot Emergency Off |
| W | Wheel brake (press and hold) |
| W - LShift | Wheel brake parking |
| K - LShift | Cockpit gauges illumination (stick) |
| Ins Datalink panel PRTs | |
| 1 - LShift | PRTs Target 1 / Vehicle |
| 2 - LShift | PRTs Target 2 / SAM |
| 3 - LShift | PRTs Target 3 / Other |
| 4 - LShift | PRTs Reference point |
| 1 - LCtrl | PRTs To Wingman 1 |
| 2 - LCtrl | PRTs To Wingman 2 |
| 3 - LCtrl | PRTs To Wingman 3 |
| 4 - LCtrl | PRTs To Wingman 4 |
| 5 - LCtrl | PRTs To All |
| T - LShift | PRTs Erase Entering Data |
| Y - LShift | PRTs Ingress to Target |
| U - LShift | PRTs Send / Memory |
| I - LShift | PRTs void button |
| I - LCtrl | Self ID |
| M - LCtrl | Datalink mode |
| Ins Engines start-up control panel and levers | |
| Home | Start-up engine |
| Home - RAlt | Interrupt start-up sequence |
| End | Stop APU button |
| E | Engine selector |
| E - LAlt | Engine Startup/Crank/False Start selector |
| PageUp | Throttle up (Idle-Medium-Auto-Full) |
| PageDown | Throttle down (Idle-Medium-Auto-Full) |
| PageUp - RAlt | Left Throttle up (Idle-Medium-Auto-Full) |
| PageDown - RAlt | Left Throttle down (Idle-Medium-Auto-Full) |
| PageUp - RShift | Right Throttle up (Idle-Medium-Auto-Full) |
| PageDown - RShift | Right Throttle down (Idle-Medium-Auto-Full) |
| PageUp - RCtrl | Cut-off valve left engine |
| PageDown - RCtrl | Cut-off valve right engine |
| R - LShift | Rotor brake |
| Ins Forward panel and gauges | |
| G | Gear lever |
| G - LAlt | Emergency gear |
| G - LCtrl | Emergency gear cover |
| C - RCtrl - RShift - RAlt | Mech clock. Left lever Down |
| M - RShift | Mech clock. Left lever Up |
| . - LAlt | Mech clock. Left lever turning right |
| , - LAlt | Mech clock. Left lever turning left |
| C - RShift - RAlt | Mech clock. Right lever Down |
| , - RCtrl - RShift | Mech clock. Right lever Rotate left |
| . - RCtrl - RShift | Mech clock. Right lever Rotate right |
| M | Master caution push-light |
| L - LShift | Lamps test |
| B | Rotor RPM warning push-light |
| L - LCtrl | LWS/CMD operation mode |
| . - LCtrl - LAlt | HSI Commanded course rotary right |
| , - LCtrl - LAlt | HSI Commanded course rotary left |
| . - LCtrl - LShift | HSI Commanded heading rotary right |
| , - LCtrl - LShift | HSI Commanded heading rotary left |
| H - LCtrl - LAlt | HSI Test |
| H - LCtrl | HSI Desired track angle - Desired heading, Auto - Manual |
| . - LShift - LAlt | ADI Zero pitch trim right |
| , - LShift - LAlt | ADI Zero pitch trim left |
| A - LShift - LAlt | ADI Test button |
| A - LCtrl - LShift - LAlt | ADI Test button cover |
| A - RShift | SAI Standby Attitude Indicator Cage/control test handle up |
| A - RShift - RCtrl | SAI Standby Attitude Indicator Cage/control test handle right |
| A - RShift - RAlt | SAI Standby Attitude Indicator Cage/control test handle left |
| . - LShift | Radar altimeter dangerous RALT set rotary right |

| | |
|---|---|
| , - LShift | Radar altimeter dangerous RALT set rotary left |
| R - LShift - LAlt | Radar altimeter test button |
| = - RShift | Altimeter QFE knob pressure increase |
| -- RShift | Altimeter QFE knob pressure Decrease |
| -- LShift | G-meter reset |
| O - LShift - LAlt | Laser range finder-designator mode switch cover |
| O - LShift | Laser range finder-designator mode switch |
| O - LCtrl - LAlt | Laser designator reset button |
| P - LCtrl | Exhaust gas temperature running engines indicator test button |
| P - LAlt | Exhaust gas temperature stopped engines indicator test button |
| P - LShift - LCtrl - LAlt | Fuel quantity indicator self test button |
| Ins HUD controls | |
| H - RShift | Raise/Lower Color Filter On HUD |
| 8 - RShift | HUD Modes Reticle/Night/Day |
| H - RCtrl - RShift | HUD Brightness up |
| H - RShift - RAlt | HUD Brightness down |
| H - RCtrl - RShift - RAlt | HUD Test |
| Ins Landing Lights & Voice Warning Panel | |
| L - RShift | Light landing search On/Retraction/Off |
| L - RCtrl | Lights landing search change Main/Reserved |
| = - LAlt | ADF Beacon select |
| V - LCtrl | Voice message emergency mode |
| V - LShift - LAlt | Voice message cease |
| V - LAlt | Voice message repeat |
| Ins NAV panel controls PVI | |
| B - RAlt | PVI Change Master Mode (to right) |
| V - RAlt | PVI Change Master Mode (to left) |
| V - RCtrl | PVI Set Fixtaking Method |
| B - RCtrl | PVI Datalink Power |
| 1 - RAlt | PVI Pushbutton 1 |
| 2 - RAlt | PVI Pushbutton 2 |
| 3 - RAlt | PVI Pushbutton 3 |
| 4 - RAlt | PVI Pushbutton 4 |
| 5 - RAlt | PVI Pushbutton 5 |
| 6 - RAlt | PVI Pushbutton 6 |
| 7 - RAlt | PVI Pushbutton 7 |
| 8 - RAlt | PVI Pushbutton 8 |
| 9 - RAlt | PVI Pushbutton 9 |
| 0 - RAlt | PVI Pushbutton 0 |
| Q - RAlt | PVI Waypoint Mode |
| W - RAlt | PVI In-flight INU Realignment |
| E - RAlt | PVI Navpos Correction Mode |
| R - RAlt | PVI Precise INU Alignment |
| T - RAlt | PVI Airfields Mode |
| Y - RAlt | PVI Normal INU Alignment |
| U - RAlt | PVI Targets Mode |
| I - RAlt | PVI Enter |
| O - RAlt | PVI Cancel |
| P - RAlt | PVI Initial NAV Position |
| A - RAlt | PVI Self Coordinates |
| S - RAlt | PVI Course / Time / Range |
| D - RAlt | PVI Wind Heading / Speed |
| F - RAlt | PVI True Heading / Time / Range to Final STP |
| G - RAlt | PVI Bearing / Range to Target |
| P - RShift - RCtrl | PVI Lighting up |
| P - RShift - RAlt | PVI Lighting down |
| Ins Overhead panel | |
| L - RAlt | Lights navigation 10%/30%/100%/Off |
| L - LAlt | Lights navigation Code Mode |
| W - LCtrl - LAlt | Windshield wiper switch |
| L | L-140 Laser warning system reset button |
| S - LShift - LAlt | Pitot static port and AoA sensors heat switch |
| S - LShift - LCtrl | Pitot ram air and clock heat switch |
| S - RShift - RCtrl | Pitot system heat test |
| S - LShift - LCtrl - LAlt | Rotor de-icing system switch |

| | |
|--|---|
| I - LAlt | Engines de-icing / dust-protection systems switch |
| Ins Radio R-800 VHF-2 | |
| 1 - LCtrl - LShift | R-800 Rotary 1 Up |
| 1 - LCtrl - LAlt | R-800 Rotary 1 Down |
| 2 - LCtrl - LShift | R-800 Rotary 2 Up |
| 2 - LCtrl - LAlt | R-800 Rotary 2 Down |
| 3 - LCtrl - LShift | R-800 Rotary 3 Up |
| 3 - LCtrl - LAlt | R-800 Rotary 3 Down |
| 4 - LCtrl - LShift | R-800 Rotary 4 Up |
| 4 - LCtrl - LAlt | R-800 Rotary 4 Down |
| R - LCtrl - LAlt | R-800 Squelch |
| M - LShift - LCtrl - LAlt | R-800 AM-FM Mode switch |
| 5 - LCtrl - LAlt | Data transfer rate switch |
| A - LCtrl - LAlt | ADF switch |
| E - LCtrl - LAlt | Emergency receiver |
| T - LCtrl - LShift | Test button |
| M - RCtrl - RAlt | Channel selector next |
| N - RCtrl - RAlt | Channel selector previous |
| R - RCtrl - RAlt | R-828 Squelch |
| T - RCtrl - RShift | Tuner button |
|] - LCtrl - LShift | Volume up |
| [- LCtrl - LShift | Volume down |
| Ins Rudder | |
| Z | Rudder left |
| X | Rudder right |
| Ins Targeting Display Control Panel PUR | |
| S - RCtrl | HUD Scales Reject On/Off |
| [- RCtrl - RAlt | IT-23 brightness Down |
|] - RCtrl - RAlt | IT-23 brightness Up |
| [- RShift - RCtrl | IT-23 contrast Down |
|] - RShift - RCtrl | IT-23 contrast Up |
| [- RShift - RCtrl - RAlt | Helmet device brightness Down |
|] - RShift - RCtrl - RAlt | Helmet device brightness Up |
| I - RShift - RCtrl - RAlt | Laser code selector left |
| O - RShift - RCtrl - RAlt | Laser code selector right |
| B - RShift - RCtrl | IT-23 Black-White indication switch |
| Back | Button Targeting mode reset |
| H | Helmet-mounted system On/Off |
| O - RShift | Laser standby On/Off switch |
| P | Automatic tracking/gun sight |
| D - LShift | K-041 Targeting system power switch |
| Q | Button Automatic turn on target mode |
| N | Button Ground moving target |
| V | Button Airborne target |
| S - LAlt | Button Head-on airborne target aspect |
| F - LAlt | Weapon system mode selector (to right) |
| F - LCtrl | Weapon system mode selector (to left) |
| L - LShift - RCtrl | Training mode switch |
| Ins Wall panel | |
| Q - LCtrl - LShift | Electrical power ground power DC |
| Q - LCtrl - LShift - LAlt | Electrical power ground power DC cover |
| W - LCtrl - LShift | Electrical power battery 2 |
| W - LCtrl - LShift - LAlt | Electrical power battery 2 cover |
| E - LCtrl - LShift | Electrical power battery 1 |
| E - LCtrl - LShift - LAlt | Electrical power battery 1 cover |
| R - LCtrl - LShift | Electrical power ground power AC |
| Y - LCtrl - LShift | Electrical power generator left |
| U - LCtrl - LShift | Electrical power generator right |
| I - LCtrl - LShift | Electrical power inverter AUTO/OFF/MAN |
| Z - LCtrl - LAlt | Radio equipment AVSK (SPU-9) intercom |
| P - LCtrl - LAlt | Radio equipment VHF-2 (R-800) |
| P - RCtrl - RAlt | Radio equipment VHF-1 (R-828) |
| O - LCtrl - LShift | Radio equipment datalink TLK |
| P - LCtrl - LShift | Radio equipment datalink UHF TLK |
| A - LCtrl - LShift | Fuel pumps tank forward |

| | |
|---|--|
| D - LCtrl - LShift | Fuel pumps tank rear |
| F - LCtrl - LShift | Fuel pumps external tanks inner |
| G - LCtrl - LShift | Fuel pumps external tanks outer |
| H - LCtrl - LShift | Fuel meter power |
| J - RCtrl - RShift - RAlt | Shutoff valve left engine fuel cover |
| J - RCtrl - RShift | Shutoff valve left engine fuel |
| K - RCtrl - RShift - RAlt | Shutoff valve right engine fuel cover |
| K - RCtrl - RShift | Shutoff valve right engine fuel |
| L - RCtrl - RShift - RAlt | Shutoff valve APU fuel cover |
| L - RCtrl - RShift | Shutoff valve APU fuel |
| ; - RCtrl - RShift - RAlt | Fuel bypass valve cover |
| ; - RCtrl - RShift | Fuel bypass valve |
| E - RCtrl - RShift - RAlt | Ejecting system power cover |
| E - RShift - RAlt | Ejecting system power 1 |
| R - RShift - RAlt | Ejecting system power 2 |
| T - RShift - RAlt | Ejecting system power 3 |
| D - LCtrl - LShift - LAlt | Weapons control system cover |
| D - LShift - LAlt | Weapons control system |
| H - LCtrl - LShift - LAlt | Main hydraulics cover |
| H - LShift - LAlt | Main hydraulics |
| I - LCtrl - LShift - LAlt | IFF power cover |
| I - LShift - LAlt | IFF power |
| N - LShift | Targeting-Navigation system power |
| M - LCtrl - LShift | Shkval auto scan rate dial up |
| M - LCtrl - LAlt | Shkval auto scan rate dial down |
| M - LShift - RCtrl | Shkval windshield wiper |
| F - LShift | Fire extinguisher left engine |
| F - RShift | Fire extinguisher right engine |
| F - LShift - LAlt | Fire extinguisher APU |
| F - LShift - LCtrl - LAlt | Fire extinguisher oil cooling fan |
| Z - LShift - LCtrl - LAlt | Fire extinguishers WORK - OFF - TEST cover |
| Z - LShift - LCtrl | Fire extinguishers WORK - OFF - TEST |
| Z - RShift - RAlt | Fire signaling |
| Z - RShift - RCtrl - RAlt | Fire extinguisher First (Auto) / Second (Manual) selector cover |
| Z - RShift - RCtrl | Fire extinguisher First (Auto) / Second (Manual) selector |
| Home - RCtrl - RAlt | EEG Electronic Engine Governor left engine cover |
| Home - RCtrl | EEG Electronic Engine Governor left engine |
| End - RCtrl - RAlt | EEG Electronic Engine Governor right engine cover |
| End - RCtrl | EEG Electronic Engine Governor right engine |
| End - LShift - LCtrl | EEG power turbine channel 1 test / channel 2 test three-switch contactor cover |
| End - LCtrl - LAlt | EEG power turbine channel 1 test / channel 2 test three-switch contactor |
| End - RShift - RCtrl | EEG gas generator test - Operate switch cover |
| End - RShift - RAlt | EEG gas generator test - Operate switch |
| G - LShift - LAlt | Gyro/Mag/Manual heading |
| N - RShift | SAI Standby Attitude Indicator power switch |
| N - RShift - LShift | SAI Standby Attitude Indicator self test button |
| K - RCtrl | Lighting cockpit panel switch |
| K - RShift | Lighting night vision cockpit switch |
| K | Lighting cockpit interior lamp switch |
| K - RShift - RAlt | Lighting HSI and ADI switch |
| K - RCtrl - RAlt | Lighting auxiliary panel switch |
| J - RAlt | Lights rotor tip |
| J - RShift | Light anti-collision |
| J - RCtrl | Lights formation 10%/30%/100%/Off |
| 0 - RCtrl | Signal flares power |
| 1 - LAlt | Signal flares - red flare |
| 2 - LAlt | Signal flares - green flare |
| 3 - LAlt | Signal flares - white flare |
| 4 - LAlt | Signal flares - yellow flare |
| M - RShift - RAlt | Magnetic variation knob right |
| M - RShift - RCtrl | Magnetic variation knob left |
| Ins Weapons Status and Control Panel PUI-800 | |
| W - LAlt | Master arm on/off |
| R - LAlt | External stores jettison |
| W - RCtrl | Expedite emergency ATGM launch |
| A | Weapon system control switch Manual/Auto |
| S | Weapon mode switch |

| | |
|-----------------------------|---|
| C - LCtrl | Cannon round selector switch |
| C - LShift | Cannon rate of fire setting |
| W - LShift - LAlt | Jettison arm mode - explosive/unexplosive |
| Labels | |
| F10 - LShift | All Labels |
| F2 - LShift | Aircraft Labels |
| F6 - LShift | Missile Labels |
| F9 - LShift | Vehicle & Ship Labels |
| Radio Communications | |
| \ | Communication menu |
| E - LWin | Flight - Complete mission and RTB |
| R - LWin | Flight - Complete mission and rejoin |
| T - LWin | Toggle formation |
| Y - LWin | Join up formation |
| Q - LWin | Attack my target |
| W - LWin | Cover me |
| G - LWin | Flight - Attack ground targets |
| D - LWin | Flight - Attack air defenses |
| Systems | |
| C - RCtrl | Cockpit door open/close |
| E - LCtrl | Eject (3 times) |
| / - LCtrl - LAlt | SPU-9 Radio communicator selector |
| View | |
| Num4 | View Left slow |
| Num6 | View Right slow |
| Num8 | View Up slow |
| Num2 | View Down slow |
| Num9 | View Up Right slow |
| Num3 | View Down Right slow |
| Num1 | View Down Left slow |
| Num7 | View Up Left slow |
| Num5 | Center View |
| Num* | Zoom in slow |
| Num/ | Zoom out slow |
| NumEnter | Zoom normal |
| Num* - RCtrl | Zoom external in |
| Num/ - RCtrl | Zoom external out |
| NumEnter - RCtrl | Zoom external normal |
| Num* - LAlt | F11 camera moving forward |
| Num/ - LAlt | F11 camera moving backward |
| PageDown - LCtrl | Objects switching direction forward |
| PageUp - LCtrl | Objects switching direction reverse |
| Delete - LAlt | Object exclude |
| Insert - LAlt | Objects all excluded - include |
| F1 | F1 Cockpit view |
| F1 - LCtrl | F1 Natural head movement view |
| F1 - LAlt | F1 HUD only view switch |
| F2 | F2 Aircraft view |
| F2 - LCtrl | F2 View own aircraft |
| F2 - RAlt | F2 Toggle camera position |
| F2 - LAlt | F2 Toggle local camera control |
| F3 | F3 Fly-By view |
| F3 - LCtrl | F3 Fly-By jump view |
| F4 | F4 Look back view |
| F4 - LCtrl | F4 Chase view |
| F4 - LShift | F4 Arcade Chase view |
| F5 | F5 Air hostile view |
| F5 - LCtrl | F5 Ground hostile view |
| F6 | F6 Released weapon view |
| F6 - LCtrl | F6 Weapon to target view |
| F7 | F7 Ground unit view |
| F8 | F8 Target view |
| F8 - RAlt | F8 Player targets/All targets filter |
| F9 | F9 Ship view |
| F9 - LAlt | F9 Landing signal officer view |

| | |
|-----------------------|---|
| F10 | F10 Theater map view |
| F10 - LCtrl | F10 Jump to theater map view over current point |
| F11 | F11 Airport free camera |
| F11 - LCtrl | F11 Jump to free camera |
| F12 | F12 Static object view |
| F12 - LCtrl | F12 Civil traffic view |
| F12 - LShift | F12 Trains/cars toggle |
| View Cockpit | |
| Num0 | Cockpit panel view in |
| Num0 - RCtrl | Cockpit panel view toggle |
| Num0 - RAlt | Save Cockpit Angles |
| Num8 - RShift | View up |
| Num2 - RShift | View down |
| Num4 - RShift | View left |
| Num6 - RShift | View right |
| Num9 - RShift | View up right |
| Num3 - RShift | View down right |
| Num1 - RShift | View down left |
| Num7 - RShift | View up left |
|] - LShift | Fast cockpit keyboard |
|] - LCtrl | Slow cockpit keyboard |
|] - LAlt | Normal cockpit keyboard speed |
| [- LShift | Fast cockpit mouse |
| [- LCtrl | Slow cockpit mouse |
| [- LAlt | Normal cockpit mouse speed |
| Num8 - RCtrl | Camera view up |
| Num2 - RCtrl | Camera view down |
| Num4 - RCtrl | Camera view left |
| Num6 - RCtrl | Camera view right |
| Num7 - RCtrl | Camera view up-left |
| Num1 - RCtrl | Camera view down-left |
| Num9 - RCtrl | Camera view up-right |
| Num3 - RCtrl | Camera view down-right |
| Num8 - RAlt | Camera view up slow |
| Num2 - RAlt | Camera view down slow |
| Num4 - RAlt | Camera view left slow |
| Num6 - RAlt | Camera view right slow |
| Num7 - RAlt | Camera view up-left slow |
| Num1 - RAlt | Camera view down-left slow |
| Num9 - RAlt | Camera view up-right slow |
| Num3 - RAlt | Camera view down-right slow |
| Num5 - RShift | Center camera view |
| Num5 - RCtrl | Return camera |
| Num5 - RAlt | Return camera base |
| Num0 - LWin | Snap View 0 |
| Num1 - LWin | Snap View 1 |
| Num2 - LWin | Snap View 2 |
| Num3 - LWin | Snap View 3 |
| Num4 - LWin | Snap View 4 |
| Num5 - LWin | Snap View 5 |
| Num6 - LWin | Snap View 6 |
| Num7 - LWin | Snap View 7 |
| Num8 - LWin | Snap View 8 |
| Num9 - LWin | Snap View 9 |
| F1 - LWin | Head shift movement on / off |
| Num/ - RShift | Zoom out |
| Num* - RShift | Zoom in |
| Num8 - RCtrl - RShift | Cockpit Camera Move Up |
| Num2 - RCtrl - RShift | Cockpit Camera Move Down |
| Num4 - RCtrl - RShift | Cockpit Camera Move Left |
| Num6 - RCtrl - RShift | Cockpit Camera Move Right |
| Num* - RCtrl - RShift | Cockpit Camera Move Forward |
| Num/ - RCtrl - RShift | Cockpit Camera Move Back |
| Num5 - RCtrl - RShift | Cockpit Camera Move Center |
| View Extended | |
| J - LShift | Camera jiggle toggle |
| K - LAlt | Keep terrain camera altitude |

| | |
|---------------------------|-----------------------------|
| Num+ - RCtrl | Toggle tracking fire weapon |
| F - RCtrl - RShift - RAlt | View friends mode |
| D - RCtrl - RShift - RAlt | View enemies mode |
| A - RCtrl - RShift - RAlt | View all mode |
| View Padlock | |
| Num. | Lock view (cycle padlock) |
| NumLock | Unlock view (stop padlock) |
| Num. - RShift | All missiles padlock |
| Num. - RAlt | Threat missile padlock |
| Num. - RCtrl | Lock terrain view |